

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method for the diagnosis or prognosis of papilloma or for the determination of the risk to develop a papilloma, comprising the determination of the level and/or the activity of :

- (a) a transcription product of a gene coding for PED/PEA-15, and/or
- (b) a translation product of a gene coding for PED/PEA-15, and/or
- (c) a fragment or derivative of said transcription or translation product,

in a sample coming from a subject, to whom a papilloma is to be diagnosed or prognosticated, comparing said level and/or activity to a reference value representative of a papilloma or health status, then formulating a diagnosis or a prognosis of papilloma in said subject or determining if said subject is at risk of developing a papilloma.

2. (Original) A method for monitoring the progression of a papilloma in a subject, comprising the determination of the level and/or activity of :

- (a) a transcription product of a gene coding for PED/PEA-15, and/or
- (b) a translation product of a gene coding for PED/PEA-15, and/or
- (c) a fragment or derivative of said transcription or translation product,

in a sample coming from said subject and comparing said level and/or activity to a reference value representative of a papilloma or health status, then

monitoring the progression of papilloma.

3. (Original) A method for the evaluation of a therapeutic treatment of a papilloma in a subject, comprising the determination of the level and/or activity of :

- (a) a transcription product of a gene coding for PED/PEA-15, and/or
- (b) a translation product of a gene coding for PED/PEA-15, and/or
- (c) a fragment or derivative of said transcription or translation product,

in a sample coming from said subject and comparing said level and/or activity to a reference value representative of a papilloma or health status, then evaluating the treatment of papilloma.

4. (Currently Amended) The method according to ~~any one of claims~~claim 1-3, wherein said sample is a skin sample.

5 (Currently Amended) The method according to ~~any one of claims~~claim 1~~[[4]]~~, wherein said reference value is the value of the level and/or activity of :

- (a) a transcription product of a gene coding for PED/PEA-15, and/or
- (b) a translation product of a gene coding for PED/PEA-15, and/or
- (c) a fragment or derivative of said transcription or translation product,

in a sample coming from a subject who is not affected by papilloma.

6. (Currently Amended) The method according to ~~any one of claims~~claim 1~~[[5]]~~,

wherein said transcription and/or translation product and/or fragment or derivative is, respectively, mRNA and/or the PED/PEA-15 protein and/or a fragment or a derivative thereof.

7. (Currently Amended) The method according to ~~any one of claims~~claim 1 [[-6]], wherein said transcription product and/or fragment or derivative is determined by means of PCR or Northern blot analysis.

8. (Currently Amended) The method according to ~~any one of claims~~claim 1 [[-6]], wherein said translation product and/or fragment or derivative is determined by means of an immune assay, an enzyme activity assay and/or a binding assay.

9. (Currently Amended) The method according to ~~any one of claims~~claim 1 [[-8]], further comprising the comparison with a level and/or activity of

- (a) a transcription product of a gene coding for PED/PEA-15, and/or
- (b) a translation product of a gene coding for PED/PEA-15, and/or
- (c) a fragment or derivative of said transcription or translation product,

in a series of samples coming from said subject and collected in a period of time.

10. (Original) The method according to claim 9, wherein said subject receives a therapeutic treatment before the collection of one of the periods of time.

11. (Currently Amended) The method according to ~~claims~~ claim 9 and 10, wherein said level and/or activity is determined before and after the treatment of said subject.

12. (Original) A kit for the diagnosis or prognosis of papilloma or for the determination of the risk of developing a papilloma or for the monitoring of the progression of a papilloma or for the evaluation of a therapeutic treatment of a papilloma comprising a transcription product of a gene coding for PED/PEA-15, and/or a translation product of a gene coding for PED/PEA-15, and/or a fragment or derivative of said transcription or translation product.

13. (Original) A non-human transgenic animal comprising a non-native genetic sequence coding for PED/PEA-15, or a fragment or a derivative thereof, its progeny and different transgenic lines.

14. (Original) The animal according to claim 13, expressing PED/PEA-15 ubiquitously.

15. (Original) The animal according to claim 13, expressing PED/PEA-15 specifically or preferentially in a particular tissue.

16. (Currently Amended) The animal according to ~~any one of claims~~claim13[[-15]], which is mammal.

17. (Original) The animal according to claim 16, which is a mouse.

18. (Currently Amended) The animal according to ~~any one of claims~~claim13[[-17]], wherein a disruption of said gene results in a predisposition to developing a papilloma.

19. (Currently Amended) A method for obtaining the animal of ~~any one of~~  
~~claims~~claim13[[-18]] comprising:

(a) providing a gene targeting construct comprising said gene sequence and a selectable marker sequence, and

(b) introducing said construct in a stem cell of a non-human animal, and

(c) introducing said stem cell in a non-human embryo, and

(d) transplanting said embryo in a non-human pseudopregnant animal,

and

(e) allowing said embryo to develop to term, and

(f) identifying a genetically altered non-human animal whose genome comprises a modification of said gene sequence in both alleles, and

(g) breeding said genetically altered animal to obtain a non-human animal whose genome comprises a modification of said endogenous gene.

20. (Original) An animal obtainable by the method of claim 19.

Claims 21-24. (Canceled)

25. (Original) An assay for the screening of a substance useful for the treatment of papilloma comprising:

(a) contacting a biological model of papilloma with said substance;

(b) measuring the activity and/or the level of a second substance selected in the group consisting in a transcription product of a gene coding for PED/PEA-15, and/or a translation product of a gene coding for PED/PEA-15, and/or a fragment or derivative of said transcription or translation product,

(c) measuring the activity and/or the level of said second substance in a control biological sample, which was not contacted with said substance;

(d) comparing the activities and/or levels of steps (b) and (c) and determine whether said substance is a inhibitor of said second substance.

26. (Currently Amended) The assay according to claim 25, wherein said model of papilloma is the animal of claim 13 ~~any one of claims 13-17 or 20~~, or any part of it.

27. (Currently Amended) A substance obtainable by the assay of 25 ~~or 26~~ for the preparation of a medicament for the prevention and/or treatment of papilloma.

28. (Original) An antisense oligonucleotide targeted to nucleobase 1 to nucleobase 100 of a nucleic acid molecule encoding PED/PEA-15.

29. (Original) The antisense oligonucleotide according to claim 28, said oligonucleotide being targeted to sequences encompassing nucleobase 70, 71 or 72 of a nucleic acid molecule encoding PED/PEA-15.

30. (Currently Amended) The antisense oligonucleotide according to claim 28 ~~or 29~~, wherein said oligonucleotide is 8 to 30 nucleobases in length.

31. (Original) The antisense oligonucleotide according to claim 28 selected from the group consisting of 5'-tgacgcctccggagctgaga-3' and 5'-tgacgcctctggagctgagc-3'.

32. (Currently Amended) The antisense oligonucleotide according to ~~any one of claims~~claim 28~~[[31]]~~, wherein the modified internucleoside linkage is a phosphorothioate linkage and/or the antisense oligonucleotide comprises at least one modified sugar moiety and/or antisense oligonucleotide comprises at least one modified nucleobase.

33. (Original) The antisense oligonucleotide according to claim 32, wherein the modified sugar moiety is a 2'-o-methoxyethyl sugar moiety.

34. (Original) The antisense oligonucleotide according to claim 32, wherein the modified nucleobase is a 5-methylcytosine.

35. (Currently Amended) A method of preparing a medicament comprising formulating a ~~The use of oligonucleotide~~ of ~~any one of claims~~ claim 28 ~~[[to 34]]~~ as a medicament ~~[[s]]~~.

Claims 36-39. (Canceled)

40. (Currently Amended) A pharmaceutical composition comprising at least a substance of claim 27 ~~and/or at least an oligonucleotide of any of claims 28 to 34 in~~ admixture with at least a pharmaceutically acceptable vehicle or excipient.

41. (Original) The pharmaceutical composition according to claim 40, suitable for topical administration.

42. (Original) The pharmaceutical composition according to claim 40, further comprising at least an antitumor active ingredient.

43. (Original) The pharmaceutical composition according to claim 42, wherein said antitumor active ingredient is TRAIL.



44. (Original) The pharmaceutical composition according to claim 40, further comprising at least an active ingredient useful for the treatment of diabetes, diabetes complications, micro- and macrovascular complications.